

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	4	714/25,37.ccls. and (count\$4 amount) near6 instructions same period	US- PGPUB; USPAT; EPO; JPO	OR	OFF	2009/01/07 14:58
L2	9	714/25,37.ccls. and (count\$4 amount number) near6 instructions same period	US- PGPUB; USPAT; EPO; JPO	OR	OFF	2009/01/07 14:58
L3	290	714/25,37.ccls. and "702"/\$.ccls.	US- PGPUB; USPAT; EPO; JPO	OR	OFF	2009/01/07 14:59
L4	0	714/25,37.ccls. and "702"/\$.ccls. and mesasge\$1	US- PGPUB; USPAT; EPO; JPO	OR	OFF	2009/01/07 14:59
L5	97	714/25,37.ccls. and "702"/\$.ccls. and message\$1	US- PGPUB; USPAT; EPO; JPO	OR	OFF	2009/01/07 14:59
L6	101	714/25,37.ccls. and "702"/\$.ccls. and messag\$4	US- PGPUB; USPAT; EPO; JPO	OR	OFF	2009/01/07 15:00
L7	5	714/25,37.ccls. and "702"/\$.ccls. and messag\$4 same (counter\$1 accumulator \$1)	US- PGPUB; USPAT; EPO; JPO	OR	OFF	2009/01/07 15:00
L8	1	714/25,37.ccls. and "702"/\$.ccls. and messag\$4 same (counter\$1 accumulator \$1) same (instruction \$1 task\$1 thread\$1)	US- PGPUB; USPAT; EPO; JPO	OR	OFF	2009/01/07 15:00
L9	1	714/25,37.ccls. and "702"/\$.ccls. and messag\$4 same (counter\$1 accumulator \$1) same (executed)	US- PGPUB; USPAT; EPO; JPO	OR	OFF	2009/01/07 15:01

L10	11	correlation adj messag\$4.clm.	US- PGPUB; USPAT; EPO; JPO	OR	OFF	2009/01/07 15:01
S1	2	"4200928".pn.	US- PGPUB; USPAT; EPO; JPO	OR	OFF	2008/08/05 10:33
S2	12	("4200928" "5237684" "5267246" "5621663" "5996092" "6167536" "6332117" "6467083" "6519766" "6557147" "6792456").PN.	US- PGPUB; USPAT; EPO; JPO	OR	OFF	2008/08/05 11:02
S3	7	("5237684" "5621663" "5996092" "6167536" "6332117" "6467083" "6519766").PN.	US- PGPUB; USPAT; EPO; JPO	OR	OFF	2008/08/05 11:02
S4	7	("5237684" "5621663" "5996092" "6167536" "6332117" "6467083" "6519766").PN. and monitor\$4	US- PGPUB; USPAT; EPO; JPO	OR	OFF	2008/08/05 11:03
S5	2	("5237684" "5621663" "5996092" "6167536" "6332117" "6467083" "6519766").PN. and monitor\$4 same messag\$5	US- PGPUB; USPAT; EPO; JPO	OR	OFF	2008/08/05 11:03
S6	6	"531509".ap.	US- PGPUB; USPAT; EPO; JPO	OR	OFF	2008/08/05 11:50

S17	43	count\$4 near5 instruction\$1 same test \$4 same messag\$5	US- PGPUB; USPAT; EPO; JPO	OR	OFF	2008/08/05 13:25
S18	32	count\$4 near5 instruction\$1 same test \$4 same messag\$5 and g06!\$.ipc.	US- PGPUB; USPAT; EPO; JPO	OR	OFF	2008/08/05 13:26
S19	50	("20060015297" "7225098" "20060013294" "20060026313" "20060155970" "20060155971" "20060195682" "20060212684" "5483575" "5821855" "5023779" "5978720" "4072825" "4361851" "4517410" "5208742" "5566339" "5612671" "6043805" "6282476" "6385300" "20060109863" "4413328" "5448632" "4545029" "4931871" "4945412" "6735615" "6941367" "7035852" "20020087507" "20020169870" "20070021096" "20070055733" "20070206633" RE30986 "5479625" "5502825" "5509133" "5619677" "5740391" "5742282" "5784615" "5822761" "6223202" "6223202" "7302683" "5628017" "4486830" "4942512").pn.	US- PGPUB; USPAT; EPO; JPO	OR	OFF	2008/08/05 14:50
S20	23	S19 and (counter\$1 accumulator\$4 adder \$1)	US- PGPUB; USPAT; EPO; JPO	OR	OFF	2008/08/05 15:03
S21	6	S19 and (counter\$1 accumulator\$4 adder \$1) with instruction\$1	US- PGPUB; USPAT; EPO; JPO	OR	OFF	2008/08/05 15:04

S22	1	"6148437".pn.	US- PGPUB; USPAT; EPO; JPO	OR	OFF	2008/08/05 15:21
S25	9	regnier.in. and counter. clm.	USPAT; EPO	OR	OFF	2008/08/05 16:15
S26	12	regnier.in. and counter. clm.	US- PGPUB; USPAT; EPO; JPO	OR	OFF	2008/08/05 16:16
S27	2	regnier.in. and correlation adj message \$1	US- PGPUB; USPAT; EPO; JPO	OR	OFF	2008/08/05 16:17
S28	129	correlation adj message \$1	US- PGPUB; USPAT; EPO; JPO	OR	OFF	2008/08/05 16:18
S29	2	correlation adj message \$1 same counter\$1	US- PGPUB; USPAT; EPO; JPO	OR	OFF	2008/08/05 16:19
S30	642	714/37.ccls.	US- PGPUB; USPAT; EPO; JPO	OR	OFF	2008/08/06 09:27
S31	2	714/37.ccls. and nexus	US- PGPUB; USPAT; EPO; JPO	OR	OFF	2008/08/06 09:27
S32	49	714/37.ccls. and (counter accumulator) same instructions	US- PGPUB; USPAT; EPO; JPO	OR	OFF	2008/08/06 09:28
S33	8	714/37.ccls. and (counter accumulator) same instructions and count\$4 near4 between	US- PGPUB; USPAT; EPO; JPO	OR	OFF	2008/08/06 09:28
S34	0	714/37.ccls. and (count \$4 accumulat(\$4) near5 instructions same synchronization adj messages	US- PGPUB; USPAT; EPO; JPO	OR	OFF	2008/08/06 09:44

S35	0	714/37.ccls. and (count\$4 accumulat(\$4) with correlation adj message \$1	US- PG PUB; US PAT; EPO; JPO	OR	OFF	2008/08/06 09:54
S36	4	(count\$4 accumulat(\$4) with correlation adj message\$1	US- PG PUB; US PAT; EPO; JPO	OR	OFF	2008/08/06 10:04
S37	3422	(NEXUS I STO) correlation adj message \$1	US- PG PUB; US PAT; EPO; JPO	OR	OFF	2008/08/06 10:04
S38	1	(NEXUS I STO) and correlation adj message \$1	US- PG PUB; US PAT; EPO; JPO	OR	OFF	2008/08/06 10:05
S39	0	712/227.ccls. and correlation adj message \$1	US- PG PUB; US PAT; EPO; JPO	OR	OFF	2008/08/06 10:07
S40	1	702/1\$.ccls. and correlation adj message \$1	US- PG PUB; US PAT; EPO; JPO	OR	OFF	2008/08/06 10:07
S41	374	TOODE	US- PG PUB; US PAT; EPO; JPO	OR	OFF	2008/08/11 15:08
S42	168	TOODE and (counter\$1 accumulator\$1)	US- PG PUB; US PAT; EPO; JPO	OR	OFF	2008/08/11 15:08
S43	82	TOODE and (counter\$1 accumulator\$1) and g06f\$.ipc.	US- PG PUB; US PAT; EPO; JPO	OR	OFF	2008/08/11 15:08
S44	17	TOODE and (counter\$1 accumulator\$1) with (instruction\$1 thread \$1 operation\$1 task \$1) and g06f\$.ipc.	US- PG PUB; US PAT; EPO; JPO	OR	OFF	2008/08/11 15:09
S45	3	TCODE and (counter\$1 accumulator\$1) with (instruction\$1 thread \$1 operation\$1 task \$1) with between	US- PG PUB; US PAT; EPO; JPO	OR	OFF	2008/08/11 15:17

S46	2335	(counter\$1 accumulator \$1) with (instruction\$1 thread\$1 operation\$1 task\$1) with between and g06f\$.ipc.	US- PGPUB; USPAT; EPO; JPO	OR	OFF	2008/08/11 15:18
S47	1174	(counter\$1 accumulator \$1) with (instruction\$1 thread\$1 operation\$1 task\$1) near5 between and g06f\$.ipc.	US- PGPUB; USPAT; EPO; JPO	OR	OFF	2008/08/11 15:18
S48	557	(counter\$1 accumulator \$1) near5 ((instruction \$1 thread\$1 operation \$1 task\$1) near5 between) and g06f\$.ipc.	US- PGPUB; USPAT; EPO; JPO	OR	OFF	2008/08/11 15:18
S49	344	(counter\$1 accumulator \$1) near5 ((instruction \$1 thread\$1 operation \$1 task\$1) near3 between) and g06f\$.ipc.	US- PGPUB; USPAT; EPO; JPO	OR	OFF	2008/08/11 15:18
S50	6	"351792".ap.	US- PGPUB; USPAT; EPO; JPO	OR	OFF	2008/08/11 16:15
S51	1	"351792".ap. and repeater	US- PGPUB; USPAT; EPO; JPO	OR	OFF	2008/08/11 16:15
S52	0	device adj present with dis\$3	US- PGPUB; USPAT; EPO; JPO	OR	OFF	2008/08/11 16:29
S53	2	"4200928".pn.	US- PGPUB; USPAT; EPO; JPO	OR	OFF	2009/01/07 13:12

S54	12	("4200928" "5237684" "5267246" "5621663" "5996092" "6167536" "6332117" "6467083" "6519766" "6557147" "6792456").PN.	US- PGPUB; USPAT; EPO; JPO	OR	OFF	2009/01/07 13:12
S55	7	("5237684" "5621663" "5996092" "6167536" "6332117" "6467083" "6519766").PN.	US- PGPUB; USPAT; EPO; JPO	OR	OFF	2009/01/07 13:12
S56	7	("5237684" "5621663" "5996092" "6167536" "6332117" "6467083" "6519766").PN. and monitor\$4	US- PGPUB; USPAT; EPO; JPO	OR	OFF	2009/01/07 13:12
S57	2	("5237684" "5621663" "5996092" "6167536" "6332117" "6467083" "6519766").PN. and monitor\$4 same messag\$5	US- PGPUB; USPAT; EPO; JPO	OR	OFF	2009/01/07 13:12
S58	6	"531509".ap.	US- PGPUB; USPAT; EPO; JPO	OR	OFF	2009/01/07 13:12
S59	43	count\$4 near5 instruction\$1 same test \$4 same messag\$5	US- PGPUB; USPAT; EPO; JPO	OR	OFF	2009/01/07 13:12
S60	32	count\$4 near5 instruction\$1 same test \$4 same messag\$5 and g06f\$.ipc.	US- PGPUB; USPAT; EPO; JPO	OR	OFF	2009/01/07 13:12

S61	50	("20060015297" "7225098" "20060013294" "20060026313" "20060155970" "20060155971" "20060195682" "20060212684" "5483575" "5821855" "5023779" "5978720" "4072825" "4361851" "4517410" "5208742" "5566339" "5612671" "6043805" "6282476" "6385300" "20060109863" "4413328" "5448632" "4545029" "4931871" "4945412" "6735615" "6941367" "7035852" "20020087507" "20020169870" "20070021096" "20070055733" "20070206633" RE30986 "5479625" "5502825" "5509133" "5619677" "5740391" "5742282" "5784615" "5822761" "6223202" "6223202" "7302683" "5628017" "4486830" "4942512").pn.	US- PGPUB; USPAT; EPO; JPO	OR	OFF	2009/01/07 13:12
S62	23	S61 and (counter\$1 accumulator\$4 adder \$1)	US- PGPUB; USPAT; EPO; JPO	OR	OFF	2009/01/07 13:12
S63	6	S61 and (counter\$1 accumulator\$4 adder \$1) with instruction\$1	US- PGPUB; USPAT; EPO; JPO	OR	OFF	2009/01/07 13:12
S64	1	"6148437".pn.	US- PGPUB; USPAT; EPO; JPO	OR	OFF	2009/01/07 13:12
S65	9	regnier.in. and counter. clm.	USPAT; EPO	OR	OFF	2009/01/07 13:12

S66	13	regnier.in. and counter.clm.	US- PGPUB; USPAT; EPO; JPO	OR	OFF	2009/01/07 13:12
S67	2	regnier.in. and correlation adj message\$1	US- PGPUB; USPAT; EPO; JPO	OR	OFF	2009/01/07 13:12
S68	143	correlation adj message\$1	US- PGPUB; USPAT; EPO; JPO	OR	OFF	2009/01/07 13:12
S69	2	correlation adj message\$1 same counter\$1	US- PGPUB; USPAT; EPO; JPO	OR	OFF	2009/01/07 13:12
S70	682	714/37.ccls.	US- PGPUB; USPAT; EPO; JPO	OR	OFF	2009/01/07 13:12
S71	2	714/37.ccls. and nexus	US- PGPUB; USPAT; EPO; JPO	OR	OFF	2009/01/07 13:12
S72	50	714/37.ccls. and (counter accumulator) same instructions	US- PGPUB; USPAT; EPO; JPO	OR	OFF	2009/01/07 13:12
S73	8	714/37.ccls. and (counter accumulator) same instructions and count\$4 near4 between	US- PGPUB; USPAT; EPO; JPO	OR	OFF	2009/01/07 13:12
S74	0	714/37.ccls. and (count\$4 accumulat\$4) near5 instructions same synchronization adj messages	US- PGPUB; USPAT; EPO; JPO	OR	OFF	2009/01/07 13:12
S75	0	714/37.ccls. and (count\$4 accumulat\$4) with correlation adj message\$1	US- PGPUB; USPAT; EPO; JPO	OR	OFF	2009/01/07 13:12
S76	4	(count\$4 accumulat\$4) with correlation adj message\$1	US- PGPUB; USPAT; EPO; JPO	OR	OFF	2009/01/07 13:12

S77	3644	(NEXUS I STO) correlation adj message \$1	US- PG PUB; US PAT; EPO; JPO	OR	OFF	2009/01/07 13:12
S78	1	(NEXUS I STO) and correlation adj message \$1	US- PG PUB; US PAT; EPO; JPO	OR	OFF	2009/01/07 13:12
S79	0	712/227.ccls. and correlation adj message \$1	US- PG PUB; US PAT; EPO; JPO	OR	OFF	2009/01/07 13:12
S80	2	702/1\$.ccls. and correlation adj message \$1	US- PG PUB; US PAT; EPO; JPO	OR	OFF	2009/01/07 13:12
S81	380	TOCODE	US- PG PUB; US PAT; EPO; JPO	OR	OFF	2009/01/07 13:12
S82	169	TOCODE and (counter\$1 accumulator\$1)	US- PG PUB; US PAT; EPO; JPO	OR	OFF	2009/01/07 13:12
S83	82	TOCODE and (counter\$1 accumulator\$1) and g06f\$.ipc.	US- PG PUB; US PAT; EPO; JPO	OR	OFF	2009/01/07 13:12
S84	17	TOCODE and (counter\$1 accumulator\$1) with (instruction\$1 thread \$1 operation\$1 task \$1) and g06f\$.ipc.	US- PG PUB; US PAT; EPO; JPO	OR	OFF	2009/01/07 13:12
S85	3	TOCODE and (counter\$1 accumulator\$1) with (instruction\$1 thread \$1 operation\$1 task \$1) with between	US- PG PUB; US PAT; EPO; JPO	OR	OFF	2009/01/07 13:12
S86	2414	(counter\$1 accumulator \$1) with (instruction\$1 thread\$1 operation\$1 task\$1) with between and g06f\$.ipc.	US- PG PUB; US PAT; EPO; JPO	OR	OFF	2009/01/07 13:12

S87	1213	(counter\$1 accumulator \$1) with (instruction\$1 thread\$1 operation\$1 task\$1) near5 between and g06f\$.ipc.	US- PGPUB; USPAT; EPO; JPO	OR	OFF	2009/01/07 13:12
S88	571	(counter\$1 accumulator \$1) near5 ((instruction \$1 thread\$1 operation \$1 task\$1) near5 between) and g06f\$.ipc.	US- PGPUB; USPAT; EPO; JPO	OR	OFF	2009/01/07 13:12
S89	354	(counter\$1 accumulator \$1) near5 ((instruction \$1 thread\$1 operation \$1 task\$1) near3 between) and g06f\$.ipc.	US- PGPUB; USPAT; EPO; JPO	OR	OFF	2009/01/07 13:12
S90	6	"351792".ap.	US- PGPUB; USPAT; EPO; JPO	OR	OFF	2009/01/07 13:12
S91	1	"351792".ap. and repeater	US- PGPUB; USPAT; EPO; JPO	OR	OFF	2009/01/07 13:12
S92	0	device adj present with dis\$3	US- PGPUB; USPAT; EPO; JPO	OR	OFF	2009/01/07 13:12

1/7/09 3:02:48 PM

C:\Documents and Settings\mconnolly\My Documents\EAST\Workspaces\10\\10531509 - count instructions between messages.wsp